



Current Data Parameters  
NAME 2018-07-24-GF-05-final  
EXPNO 2  
PROCNO 1

F2 - Acquisition Parameters  
Date\_ 20180724  
Time 18.33 h  
INSTRUM AVIII400NB  
PROBHD Z108618\_0022 (  
PULPROG cosygpmfqqvq3  
TD 2048  
SOLVENT CDCl3  
NS 1  
DS 16  
SWH 2741.228 Hz  
FIDRES 2.676980 Hz  
AQ 0.3735552 sec  
RG 1820  
DW 182.400 usec  
DE 6.50 usec  
TE 298.0 K  
D0 0.00000300 sec  
D1 1.00000000 sec  
D11 0.03000000 sec  
D12 0.00002000 sec  
D13 0.00000400 sec  
D16 0.00020000 sec  
INO 0.00036480 sec  
TDav 1  
SF01 400.1318785 MHz  
NUC1 1H  
P1 9.38 usec  
PLW1 31.29999924 W  
GPNAM[1] SMSQ10.100  
GPZ1 40.00 %  
GPNAM[2] SMSQ10.100  
GPZ2 30.00 %  
GPNAM[3] SMSQ10.100  
GPZ3 100.00 %  
P16 1000.00 usec

F1 - Acquisition parameters  
TD 256  
SF01 400.1319 MHz  
FIDRES 21.415844 Hz  
SW 6.851 ppm  
FnMODE QF

F2 - Processing parameters  
SI 1024  
SF 400.1300000 MHz  
WDW QSINE  
SSB 0  
LB 0 Hz  
GB 0  
PC 1.40

F1 - Processing parameters  
SI 1024  
MC2 QF  
SF 400.1300000 MHz  
WDW QSINE  
SSB 0  
LB 0 Hz  
GB 0

